Contributions to

Mineralogy and Petrology

Volume 87 1984

Executive Editors: I.S.E. Carmichael J. Hoefs

Editorial Board:

R. Binns North Ryde, Australia
H. P. Eugster Baltimore, Maryland
B. W. Evans Seattle, Washington
W.S. Fyfe London, Ontario
I. Parsons Aberdeen, Scotland
Z. E. Peterman Lakewood, Colorado
W. Schreyer Bochum-Querenburg, F.R.G.
J. Touret Amsterdam, The Netherlands
V. Trommsdorff Zürich, Switzerland
K. H. Wedepohl Göttingen, F.R.G.



Contributions to Mineralogy and Petrology

Founded in 1947 by O.H. Erdmannsdörffer. Volume 1 (1949) edited by O.H. Erdmannsdörffer as "Heidelberger Beiträge zur Mineralogie und Petrographie". Continued from Volume 6 (1957) as "Beiträge zur Mineralogie und Petrographie", edited by C.W. Correns. From Volume 12 (1966) to Volume 40 (1973) published as "Contributions to Mineralogy and Petrology/Beiträge zur Mineralogie und Petrologie", edited by C.W. Correns. Beginning with Volume 41 (1973) "Contributions to Mineralogy and Petrology". As of Volume 43 (1974) edited by C.W. Correns and I.S.E. Carmichael. As of Volume 74 (1980) edited by I.S.E. Carmichael and J. Hoefs.

Submission of a manuscript implies that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review or thesis), that it is not under consideration for publication elsewhere, that its publication has been approved by all the authors and by the responsible authorities – tacitly of explicitly – in the institutes where the work was carried out and that, if accepted, it will not be published elsewhere in the same form, in either the same or another language, without the consent of the copyright holders. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, electronic data base, video disks, microform or any other reproductions of similar nature, and translations.

Photographic reproduction, microform, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal is prohibited without permission obtained from the publisher.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted as exempt from the relevant protective laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of going to press, neither the authors nor the editors nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special Regulations for the USA

Photocopies may be made for personal or internal use beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, provided a fee is paid. This fee is \$0.20 per page or a minimum of \$1.00 if an article consists of less than five pages. Please pay this fee to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0010-7999, volume, and first and last page numbers of each article copied.

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

Other Regulations

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin it is recommended that he contact Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printers: Universitätsdruckerei H. Stürtz AG Würzburg

© Springer-Verlag GmbH & Co. KG Berlin Heidelberg 1984 Printed in Germany

Contents

| Subject-Index | IV | Jones, L.M., s. Mensing, T.M. et al | 101 |
|---|-------|--|------|
| List of Locations | VI | Kampmueller, E., s. Vogel, T.A. et al | 231 |
| Alt, J.C., Honnorez, J.: Alteration of the upper oceanic crust, DSDP | | Kingsley, R.H., s. Vollmer, R. et al | |
| site 417: mineralogy and chemistry | 149 | Kramm, U., s. Mengel, K. et al | |
| Anderson, A.T. Jr., s. Harris, D.M | | Lehmann, J., Roux, J.: Calculations of activity-composition rela- | |
| Arai, S.: Pressure-temperature dependent compositional varia- | | tions in multi-site solid solutions: the example of AB ₂ O ₄ spinels | 328 |
| tion of phlogopitic micas in upper mantle peridotites | 260 | Medaris, L.G. Jr.: A geothermobarometric investigation of garnet | 020 |
| Ashwal, L.D., s. Rudnick, R.L. et al | | | 70 |
| | 399 | peridotites in the Western Gneiss Region of Norway | 72 |
| Bhattacharyya, P.K., Dasgupta, S., Fukuoka, M., Roy, S.: Geo- | | Mengel, K., Kramm, U., Wedepohl, K.H., Gohn, E.: Sr isotopes in | |
| chemistry of braunite and associated phases in metamor- | | peridotite xenoliths and their basaltic host rocks from the | |
| phosed non-calcareous manganese ores of India | 65 | northern Hessian Depression (NW Germany) | 369 |
| Bodinier, J., Dupuy, C., Dostal, J.: Geochemistry of Precambrian | | Mensing, T.M., Faure, G., Jones, L.M., Bowman, J.R., Hoefs, J.: | |
| ophiolites from Bou Azzer, Morocco | | Petrogenesis of the Kirkpatrick Basalt, Solo Nunatak, Northern | |
| Bowman, J.R., s. Mensing, T.M. et al | 101 | Victoria Land, Antarctica, based on isotopic compositions of | |
| Brey, G., s. Nickel, K.G | 35 | strontium, oxygen and sulfur | 101 |
| Bridgwater, D., s. Nutman, A.P. et al | 24 | Michael, P.J.: Chemical differentiation of the Cordillera Paine | |
| Bridgwater, D., s. Patchett, P.J | | granite (Southern Chile) by in situ fractional crystallization | 179 |
| Carpenter, M.A., Ferry, J.M.: Constraints on the thermodynamic | | Möller, P., Muecke, G.K.: Significance of Europium anomalies in | |
| mixing properties of plagioclase feldspars | | silicate melts and crystal-melt equilibria: a re-evaluation | 242 |
| Chatterjee, N.D., s. Oka, Y. et al. | | Monié, P., s. Chopin, Ch | |
| Chopin, C., Monié, P.: A unique magnesiochloritoid-bearing high- | | | 300 |
| | | Morikiyo, T.: Carbon isotopic study on coexisting calcite and | |
| pressure assemblage from the Monte Rosa, Western Alps: | | graphite in the Ryoke metamorphic rocks, northern Kiso | |
| petrologic and ⁴⁰ Ar- ³⁹ Ar radiometric study | | district, central Japan | |
| Collerson, K.D., s. Sheraton, J.W | 51 | Muecke, G.K., s. Möller, P | |
| Currie, K.L., s. Whalen, J.B | 319 | Müller, G., s. Greiffo, W. et al | |
| Dasgupta, S., s. Bhattacharyya, P.K. et al | 65 | Munksgaard, N.C.: High δ ¹⁸ O and possible pre-eruptional Rb-Sr | |
| Dostal, J., s. Bodinier, J. et al | 43 | isochrons in cordierite-bearing Neogene volcanics from SE | |
| Dupuy, C., s. Bodinier, J. et al | 43 | Spain | 351 |
| Evans, N.H., Speer, J.A.: Low-pressure metamorphism and ana- | | Nakamura, N., s. Terakado, Y | 407 |
| texis of Carolina Slate Belt Phyllites in the contact aureole of | | Nickel, K.G., Brey, G.: Subsolidus orthopyroxene-clinopyroxene | |
| the Lilesville Pluton, North Carolina, USA | | systematics in the system CaO-MgO-SiO ₂ to 60 kb: a re- | |
| Faure, G., s. Mensing, T.M. et al | | evaluation of the regular solution model | |
| Feigenson, M.D.: Geochemistry of Kauai volcanics and a mixing | | Nutman, A.P., Bridgwater, D., Fryer, B.J.: The iron-rich suite from | |
| | | | |
| model for the origin of Hawaiian alkali basalts | | the Amîtsoq gneisses of southern West Greenland: early | |
| Ferry, J.M., s. Carpenter, M.A | | Archaean plutonic rocks of mixed crustal and mantle origin . | |
| Fryer, B.J., s. Nutman, A.P. et al | | Ogden, P., s. Vollmer, R. et al | |
| Fukuoka, M., s. Bhattacharyya, P.K. et al | 65 | Oka, Y., Steinke, P., Chatterjee, N.D.: Thermodynamic mixing | |
| Gasparik, T.: Two-pyroxene thermobarometry with new experi- | | properties of Mg(Al, Cr) ₂ O ₄ spinel crystalline solution at high | |
| mental data in the system CaO-MgO-Al ₂ O ₃ -SiO ₂ | . 87 | temperatures and pressures | 196 |
| Ghiorso, M.S.: Activity/composition relations in the ternary feld- | | Olsen, K.I., Griffin, W.L.: Fluid inclusion studies of the Drammen | |
| spars | | Granite, Oslo Paleorift, Norway. I. Microthermometry | |
| Glassley, W.E., s. Hickman, M.H | | Olsen, K.I., Griffin, W.L.: Fluid inclusion studies of the Drammen | |
| Gohn, E., s. Mengel, K. et al | | Granite, Oslo Paleorift, Norway. II. Gas- and leachate | |
| | | analyses of miarolytic quartz | |
| Goldberg, S.A.: Geochemical relationships between anorthosite | | O'Reilly, S.Y., Griffin, W.L.: Sr isotopic heterogeneity in primitive | |
| and associated iron-rich rocks, Laramie Range, Wyoming. | | | |
| Greiffo, W., Herrmann, K., Müller, G., Strauss, K.W.: Sr-gorceixite | | basaltic rocks, southeastern Australia: correlation with mantle | |
| a weathering product in rich iron ores from the Córrego do | | metasomatism | |
| Feijāo Mine, Minas Gerais, Brazil | . 418 | Patchett, P.J., Bridgwater, D.: Origin of continental crust of 1.9–1.7 | |
| Grew, E.S., Sandiford, M.: A staurolite-talc assemblage in tour | - | Ga age defined by Nd isotopes in the Ketilidian terrain of South | |
| maline-phlogopite-chlorite schist from northern Victoria Land | , | Greenland | |
| Antarctica, and its petrogenetic significance | . 337 | Pegram, E., s. Jackson, N.J. et al | |
| Griffin, W.L., s. Olsen, K.I | | Presnall, D.C., Hoover, J.D.: Composition and depth of origin of | f |
| Griffin, W.L., s. O'Reilly, S.Y | | primary mid-ocean ridge basalts | |
| Harris, D.M., Anderson, A.T. Jr.: Volatiles H ₂ O, CO ₂ , and Cl in a | | Puhan, D.: Microtexture of dolomite within exsolved magnesian | |
| subduction related basalt | | calcite - examples from the Damara orogen (Namibia) | |
| Henry, D.J., s. Rudnick, R.L. et al | | Roux, J., s. Lehmann, J | |
| Hormonn K. a. Craiffe W. et al. | . 418 | Roy, S., s. Bhattacharyya, P.K. et al | |
| Herrmann, K., s. Greiffo, W. et al | | Rudnick, R.L., Ashwal L.D., Henry, D.J.: Fluid inclusions in high- | |
| Hickman, M.H., Glassley, W.E.: The role of metamorphic fluid | | grade gneisses of the Kapuskasing structural zone, Ontario | |
| transport in the Rb-Sr isotopic resetting of shear zones | | | |
| evidence from Nordre Strømfjord, West Greenland | | metamorphic fluids and uplift/erosion path | |
| Hoefs, J., s. Mensing, T.M. et al | | Sandiford, M., s. Grew, E.S | |
| Honnorez, J., s. Alt, J.C | | Schilling, JG., s. Vollmer, R. et al | |
| Hoover, J.D., s. Presnall, D.C | . 170 | Sheraton, J.W., Collerson, K.D.: Geochemical evolution of | |
| Hoschek, G.: Alpine metamorphism of calcareous metasediment | S | Archaean granulite-facies gneisses in the Vestfold Block and | |
| in the Western Hohe Tauern, Tyrol: mineral equilibria in COHS | | comparisons with other Archaean gneiss complexes in the | 9 |
| fluids | | East Antarctic Shield | . 51 |
| Jackson, N.J., Walsh, J.N., Pegram E.: Geology, geochemistr | | Speer, J.A., s. Evans, N.H | |
| and petrogenesis of late Precambrian granitoids in the Centra | | Steinke, P., s. Oka, Y. et al | |
| Hijaz Region of the Arabian Shield | . 205 | Strauss, K.W., s. Greiffo, W. et al | |
| | | | |

Terakado, Y., Nakamura, N.: Nd and Sr isotopic variations in acidic

Vogel, T.A., Younker, L.W., Wilband, J.T., Kampmueller, E.:

Vollmer, R., Ogden, P., Schilling, J.-G., Kingsley, R.H., Waggoner, D.G.: Nd and Sr isotopes in ultrapotassic volcanic rocks from

basaltic rocks, mantle metasomatism 220

-, Rb/Sr isotopes 220f.

-, -, N- and T-type 49

batch melting 59 binary liquids 386 bixbyite 65

basalts, mid-ocean ridge 47

-, chemical composition 69

rocks from Japan: significance of upper-mantle heterogeneity 407

Magma mixing: the Marsco suite, Isle of Skye, Scotland . . . 231

| the Leucite Hills, Wyoming | | Contents/ |
|---|---|---|
| Walsh, J.N., s. Jackson, N.J. et al | | |
| | | |
| | | |
| | | |
| | | |
| Subject Index | | |
| | | |
| Acidic rocks 407f. | black halos 156 | CHUR evolution line 313 |
| activity coefficient 294 | braunite 65 f. | COHS-fluids 129f. |
| activity-composition relations 282 ff., 328 ff. | -, chemical composition 68 | |
| age-provinces 311 | buoyant convection 326 | Decarbonation 403 |
| Al-avoidance model 142 | | decarbonation reaction 257 |
| Al-Cr exchange 200 | Ca-Tschermak pyroxene 88 | decreptitation 16 |
| albite-anorthite solid solution 138 | calcareous metasediments 129f. | dehydration melting 308 |
| alkali basalt, geochemistry 109 ff. | calcite, carbon isotopes 251 ff. | deoxidation reaction 68 |
| alkali basalt, geochemistry, major elements | Caledonian Orogeny 72 | depleted subcontinental mantle 229 |
| 112f. | carbon isotopes, exchange 251 | desulfidation reaction 135 |
| -, -, Nd isotopes 110f. | -, fractionation 251 | diagram, AFM 27, 47, 103 |
| -, -, REE 113 | -, geothermometer 251 | -, CaO-Y 31 |
| -, -, Sr isotopes 110f. -, -, trace elements 112f. | carbon isotopic study 251 ff. | -, FeO vs. FeO/MgO 47 |
| alkali basalt, late-stage production 109 | CaO-MgO-Al ₂ O ₃ -SiO ₂ system 87 | -, K/Rb 55 |
| alkali basalt, leucite-normative 110 | -, composition of cpx and opx 89 | -, Na, K, Ca 27 |
| alkali basalt, mixing model 109ff. | P-T phase diagrams 92 f. chemical composition, clinopyroxene 36 | -, normalized incompatible elements 54, 56 |
| alkali basalt, nepheline-normative 110 | -, orthopyroxene 36 | -, normative Ab-Or-An 55 |
| alkali basaltic rocks 374 | chemical data, augen-gneisses 30 | -, normative Q-Ab-Or 54 -, pyroxene phases 40 |
| alkali granite 210 | -, granitic and trondhjemitic sheets 32 | -, REE patterns, chondrite normalized 29, 4 |
| alkali-feldspar granite 211 | chlorite peridotite 73 | -, 87Sr/86Sr vs. 618O 355 |
| allanite 184 | chloritoid, mg-rich 389 | -, 87Sr/86Sr vs. 87Rb/86Sr 355 |
| almandine 80 | clathrate 5 | -, TiO ₂ , MgO, Al ₂ O ₃ , Na ₂ O, P ₂ O ₅ , SiO ₂ 28 |
| anatexis 247, 297 ff., 357 | comagmatic origin 366 | -, TiO ₂ , MgO, Al ₂ O ₃ , Na ₂ O, P ₂ O ₅ , SiO ₂ 20 -, TiO ₂ vs. Zr 49 |
| andesites, continental margin 45 | concentration gradients 166 | -, Y/SiO ₂ 55 |
| anomaly, Ce 47 | contact aureole 297 | -, Zr, Cr, Sr 28 |
| anomaly, Eu 29, 45, 213, 382 | -, exterior, interior 298 | diamond host rocks 359 |
| -, -, in silicate melts 242f. | continental basement 213 | diffusion rate 232 |
| anorthosite 376 | continental crust, Nd isotopes 311ff. | diopside 88 |
| -, geochemistry 377f. | -, origin 311ff. | diopside, Ca, Mg- 37 |
| assemblage, garnet-orthopyroxene- | continental flood basalt 102 | dolomite 98 |
| hornblende-clinopyroxene-plagioclase 27 | continental crustal material 359 | DSDP site 417 149 |
| assimilation 366 | cordierite-bearing volcanics 351 | -, basalts 149 |
| assimilation of crustal material 101 | correlation diagram, Nd-Sr 110 | -, -, alteration 156f. |
| assymetric solution model 37 | correlation diagrams, Ar-isotopes 394 | -, -, chemical composition 153 |
| AB ₂ O ₄ spinels 328 ff. | correlation, &18O vs. 87Sr/86Sr 103 | |
| The same and beginning the same and the | -, 87Sr/86Sr vs. 1/Sr 105 | Eclogite 73 |
| Back-arc basin 107 | corundum, (AI,Cr) ₂ O ₃ 196 | electron microprobe analyses 66 |
| banded iron-formation 418 | Cr-diopside spinel Iherzolite 226 | enstatite 88 |
| basalt, subduction related 120 | crushing 16 | enstatite field 176 |
| -, -, crystallization temperature 126 | crust-generation event 311 | equilibrium pressure 263 |
| -, -, electron microprobe analyses 123 | crustal contamination 360, 374, 407 | Eu-metasilicate 245 |
| hasaltic host rock 369 | cruetal fueion 215 | avance argan 200 |

crustal material 414

crystal fractionation 378

cumulate sequence 44 cumulate sequence, tholeiitic 45

cumulus processes 379

crystal-liquid fractionation 216

crystal-melt equilibria 242 crystal/fluid equilibration 143

Whalen, J.B., Currie, K.L.: The Topsails igneous terrane, Western

excess Ca 37

exsolution behavior 139

exsolution lamellae 65

Fe-sulfide, pyrite 129 –, pyrrhotite 130

feldspar, Ba-rich 70

exsolution phenomena 98

feldspars, coexisting, compositions 288

-, geothermometry 290

-, miscibility 290

-, solution model 283

-, ternary 282ff. -, -, solvus 282

-, thermodynamic parameters 284

ferrodiorites 29

-, crustally contaminated 30

-, fractionation 31

flame photometric procedure 28

fluid inclusions 399ff. -, CH₄-bearing 404

-, CO2-rich 401

-, CO₂ and H₂O, mixed 402

-, H₂O-rich 402

-, in granites 1ff.

-, late-stage 405

-, primary 2, 17

-, secondary 2, 17 fluid/rock ratio 278

forced convection 326

fractional crystallization 170

fractionation, crystal-liquid, closed system

fractionation, open system 414

Garnet clinopyroxenite 73 garnet Iherzolite field 88 garnet peridotite 72f.

-, chemical composition of minerals 78

-, electron microprobe analyses 76

-, mantle derivation 84

-, porphyroclastic texture 74

-, 87Sr/86Sr values 84

garnet websterite 73 gas saturation pressure, H₂O, CO₂ 125

geochemistry

-, diorites 46 -, keratophyres 46

-, Precambrian ophiolites 43f.

-, spilites 46

-, tholeiitic sequence 45

geochronological implications 265

geothermal gradient 374

geothermometer 35 -, garnet-pyroxene 82

glass, diopside-rich 243

gneisses, augen 30

-, Archaean 51 -, banded 266

-, banded grey 26

-, CIPW-norm 53, 57

-, high-grade 399

-, tonalitic-granodioritic 24f.

granite melt, I- and A-type 216

granite, chemical differentiation 179ff.

-, crystallization sequence 184

-, fractional crystallization 179

-, mineral zoning 188

-, petrography 183 -, remelting 187

-, roof melting 187

-, whole rock chemistry 186

granitoid rocks, chemical data 210

-, geology and geochemistry 205f.

-, late Precambrian 205ff.

-, modal composition 208

-, petrogenesis 213

-, REE distribution 212

granodiorite 209

-, biotite-hornblende 26 graphite-bearing rocks 129

graphite, carbon isotopes 251ff.

greenschist facies 44

Hausmannite 65f.

high-pressure assemblage, magnesiochloritoid-bearing 388f.

-, petrology 390f.

hollandite 65

-, chemical composition 69

hornfelse 300

hybrid liquids 232 hybridization 260

hybridized granitic rocks 322

Igneous rocks 319

-, chemical analyses 321

immiscibility gap, CaCO3-MgCO3 98 inclusions

-, multi phase 4f.

-, solid 9

-, two-phase gaseous 4f.

-, two-phase liquid 4f.

interdiffusion 80

internal buffering 70

intracrystalline diffusion 188

iron-rich rocks 376ff.

iron-rich suite 26

-, chemical variations 27f.

island-arc assemblage 213

isochron ages 269

isotopes, Nd and Sr 359ff. --, Rb and Sr 265ff.

isotopic equilibrium 269

isotopic exchange 271

isotopic exchange equilibrium 251

isotopic homogeneity 271

isotopic re-equilibration 272 isotopic studies, Sm-Nd 313

isotopic variations, Nd and Sr 407f.

Jacobsite 65

-, chemical composition 70

Kelyphite 82

kimberlite 360

kimberlite xenoliths 260

Lanthanides, crystal/melt partition coefficient 248

Laser Raman Spectroscopy 403 leucocratic sheets 32

leucosome 304

liquid immiscibility 29

liquid-liquid boundaries 240

low temperature alteration 149

-, chemical changes 154f.

-, secondary minerals 149

Magma chamber 194

magma generation 369

magma mixing 231 ff., 319 ff. -, process 232

-, restite model 325

magma mixing/interaction model 31 magma-forming processes 353

magnesian calcite 98 manganese ores, metasedimentary 70

-, non-calcareous 67

-, Precambrian 65

mantle isochron 227 mantle-derived material 316

mantle metasomatism 260

mantle outgassing 120

mantle xenoliths 359 marble 129

megacrysts 27

melanosome 304

melt composition 243

melt inclusions 121

-, H₂O, CO₂ 121f. melt polymerization 248

melting 7

-, partial 60 -, two-stage 60

metamorphic temperature 307

metamorphism, Alpine 129

-, amphibolite facies 72

-, conditions 342

-, dynamothermal 297

-, granulite facies 25, 51

, high-grade 399

-, high-grade poly- 33 -, high-pressure 72, 388

-, low pressure 297ff.

, prograde 298

-, thermobarometer 138

metasomatic event 366

metasomatic redistribution 27

metasomatically altered peridotites 369 metasomatism, pervasive 227

metatholeiite 54

miarolytic quartz, gas analyses 15ff.

-, leachate analyses 15ff.

-, -, anions 19

-, -, cations 19

-, heavy metals 19

microthermometry 4f.

mid-ocean ridge basalt, FAMOUS area 173 -, CIPW norm diagrams 172

-, glasses 171

-, origin 170ff.

migmatites 304

mineral equilibria in fluids 129f.

miscibility gap 333

-, opx-cpx 35 -, pressure dependence 36

mixing model, two component 413

mobile belt 266

mohorovicic discontinuity 360

monzogranite 212 multi-site solid solutions 328 myrmekite-like rods 98

Network-forming cation 244

non-bridging oxygens 244

Olivine phenocrysts 121 olivine tholeiite 52

non-first order phase transition 140

olivine-gabbro-peridotite cumulate 73 ophiolites 43

-, petrography 44

-, tectonic settings 43

order/disorder reaction 140 orthoamphibole 348

outgassing of SO₂ 107 oxygen fugacity 107, 244

oxygen isotope data 351 ff.

Quartzo-feldspathic orthogneisses 72

Radiometric study, ⁴⁰Ar_³⁹Ar 388f. rapakivi granite 24, 73 rapakivi texture 209 ratio, Ca/Na 21 -, CaO/Y 213 -, cation/anion 21 -, (Ce/Yb)_N 45 -, CO₂/H₂O 6
-, initial Nd 311, 412
-, initial Sr 102, 269, 317, 371, 407
-, K/Na 20
Rayleigh fractionation 113
Rb—Sr isochrons, pre-eruptional 351ff.
Redlich-Kister equation 91
regular solution model 35f.
regular solution model, coexisting opx-cpx 39
retrogressive effects 390
retrogressive metamorphism 253
rock-forming minerals 328

scanning electron microscope 98

Salinity 7

Schreinemakers method 344 sea floor alteration 46 seawater, anoxic alteration 165 -, basalt- reaction 149 -, circulating 162 -, oxygenated alteration 162 -, reaction 156 secondary minerals 150 -, Al-saponite 151 -. Beidellite 151 -, carbonates 152 -, celadonite-nontronite 150 -, chlorite 151 -, saponite 151 -, zeolites 151 shear zones 265 fluid transport 265 shield-building volcanism 109 silica rocks 409 silicate-sulfide reactions 133 spinel lherzolite field 88 spinel, Mg(Al,Cr)₂O₄ 196ff. spreading ridge 174 Sr distribution coefficient 105 Sr isotope heterogeneity, possible origins 225 Sr-gorceixite 418f. staurolite-talc assemblage 337 -, petrogenesis 343f. P-T-conditions 343

submarine hydrothermal system 149 subsolidus-liquidus relation 305 supracrustal rocks 73 supracrustal sequence 316 system, CaO-MgO-SiO₂ 35 f.

Tectonic shearing 326 temperatures, freezing 403 -, homogenization 5f., 403 -, melting 5f., 402 thermal boundary layer 127 thermodynamic mixing properties 196ff. thermogravitational melting 188 thermometer, K/Na 11f. tholeiite, olivine 110 -, quartz 109 tholeiitic basalt, chemical composition 102 -, isotope composition of Sr. O. S 104 -, petrogenesis 101 f. tholeiitic rocks 374 tourmaline porphyroblasts 337 -, inclusions 337ff. trapped intercumulus liquid 383 trondhjemite 32, 209 two-component mixing 105, 356 two-pyroxene equilibria 90 two-pyroxene thermobarometer 87f.

Ultramafic xenolith 112
ultrapotassic volcanics 359 ff.
uplit/erosion path 404
upper mantle heterogeneity 407
upper mantle peridotite 260 ff.
upper oceanic crust, alteration 149 f.

Variation trends, REE 58 variations of δ^{34} S-values 106 volatiles, H₂O, CO₂, Cl 120 ff. vredenburgite 68

X-ray fluorescense 28, 52 xenoliths 324, 351 xenoliths, mantle derived 220

Zoning of minerals, clinopyroxene 80 –, garnet 79 –, orthopyroxene 80

List of Locations

Ameralik fjord, SW-Greenland Australia, SE

Bermuda Rise, N-Atlantic Bou Azzer, Morocco

Central Hijaz, Arabian Shield Cerro del Hoyazo, SE Spain Cordillera Paine, S-Chile

Damara Orogen, Namibia

FAMOUS area, Atlantic

India Isle of Skye, Scotland

Japan, SW

subduction 61

subduction zone volcano 120

Kapuskasing, Ontario, Canada Kauai, Hawaii Ketilidian, S-Greenland Kiso, Japan

Leucite Hills, Wyoming

Minas Gerais, Brazil Monte Rosa, Western Alps N-Hessian Depression, NW-Germany Nordre Strømfjord, Greenland North Carolina, USA

Oslo Paleorift, Norway

Princess Elizabeth Land. Antarctica

Victoria Land, Antarctica Volcan Fuego, Guatemala

Western Gneiss Region, Norway Western Hohe Tauern, Tyrol Western Newfoundland

